


DYNOFORCE PROFILE

DynoForce design, supply and install the widest range of flood protection solutions, Parking Solutions & HVM products in the world, together with the full spectrum of associated professional services.

Our technical specialists and engineers product, custom-designed Products, including flood barriers, flood gates, flood doors, Security Planter Box, Dock Leveler, Vehicle Restraint System, Crash Rated gates and Crash rated bollards. Our wide solutions are installed throughout the world.

DynoForce operates globally, the International Head Office is in India, with a principal subsidiary in India. With global partners and distributors, DynoForce provides solutions virtually anywhere in the world.



DYNOFORCE

DF-SLG-FG



PRODUCT RANGE:

- Manual / Automatic Flood Gates.
- Parking Systems.
- HVM Crash Rated Product
- Manual/ Automatic Gates.
- Dock Leveler.
- Vehicle Restraint System.

Website: www.dynoforce.uk
Email: info@dynoforce.uk

SLIDING FLOOD GATE:

DF-SLG-FG


Description

- Dyno Force offers a full design, manufacture and installation service for heavy duty sliding floodgates.
- Each sliding flood gate is individually designed for the specific customer's requirements and can be designed to incorporate automation of closure, locking and monitoring status where needed.



DYNOFORCE

DF-SLG-FG



- Dyno Force flood gates are designed for dependable flood protection whilst maximizing access availability.
- Lightweight aluminum flood gates are available in widths up to 4.5m and flood defense heights up to 1.9m, and our steel floodgates are designed to any size. All flood gates can be automatic and push-button operated if required.
- Sliding flood gate can be customized to the length of maximum 12 meter.



DF-SLG-FG

Uses

- Efficient use of space.
- Designed to fit where we don't have wide space available for installation.
- Floodgates can be automated and linked to building management systems.
- Can be designed up to 12 meter long and 2 meter high.
- Hydraulic operated gates
- Ability to power / automatics closing and opening.
- No excavations required for installation.
- Always on-site ready to be deployed.

Dimensions

- If dimensions are critical, please contact sales to confirm.



DYNOFORCE

DF-SLG-FG



Installation

- For advice about installation of this product please contact our Sales office.

Benefits

- Commercial flood defenses.
- Ideal for where high flood protection heights are required.
- Major utility sites requiring vehicle access.
- Large openings in flood defense walls.

